





Indian Journal of Postgraduate Dermatology

Article in Press

Ouiz

STD Ouiz

Bhavya Swarnkar¹

¹Department of Dermatology, Apollo Hospitals, Bilaspur, Chhattisgarh, India.

*Corresponding author:

Bhavya Swarnkar, Department of Dermatology, Apollo Hospitals, Bilaspur, Chhattisgarh, India.

swarnkarbhavya@gmail.com

Received: 11 December 2023 Accepted: 09 April 2024 EPub Ahead of Print: 23 May 2024 Published:

DOI

10.25259/IJPGD_124_2023

Quick Response Code:



QUESTIONS

- Biette's collarette is described in which of the following?
 - Primary syphilis
 - Secondary syphilis
 - Tertiary syphilis c)
 - Eosinophilic folliculitis
- Hay Ison criteria are used in which of the following diseases?
 - a) Bacterial vaginosis
 - b) Trichomoniasis
 - c) Vulvovaginal candidiasis
 - Chlmydial cervicitis
- Routine use of expedited partner therapy is not advisable in which of the following?
 - Heterosexual female
 - Commercial sex workers
 - MSM c)
 - Heterosexual male
- Which one of the following statements about screening tests in pregnant women is incorrect?
 - In patients at high risk for syphilis, apart from serologic testing at the first prenatal visit, testing should be done at approximately 28 weeks of gestation and at delivery.
 - Pregnant women should undergo a Papanicolaou test at the same frequency as nonpregnant women.
 - All women <25 years should be screened for chlamydia and gonorrhea.
 - Routine screening for trichomonas vaginalis is recommended even in asymptomatic women.
- Which one of the following statements about sexually active MSM is incorrect?
 - a) Annual human immunodeficiency virus (HIV) serology testing is advisable.
 - b) A test for urethral infection with Neisseria gonorrhoea and Chlamydia trachomatis with history of insertive intercourse in the preceding year.
 - c) A test for rectal infection with N. gonorrhoea and C. trachomatis with history of penetrative intercourse in the preceding year.
 - d) A test for pharyngeal infection with C. trachomatis with history of receptive oral intercourse in the preceding year.
- 6. Annual testing is recommended for following organisms in HIV-positive sexually active females except?
 - Trichomonas
 - Chlamydia

This is an open-access article distributed under the terms of the Creative Commons Attribution-Non Commercial-Share Alike 4.0 License, which allows others to remix, transform, and build upon the work non-commercially, as long as the author is credited and the new creations are licensed under the identical terms. ©2024 Published by Scientific Scholar on behalf of Indian Journal of Postgraduate Dermatology

- c) Gonorrhea
- d) Bacterial vaginosis
- Which one of the following statements about herpes simplex virus 2 (HSV2) virus is incorrect?
 - a) Increased neonatal transmission rate than HSV1
 - b) Increased rate of recurrence than HSV1
 - c) Increased subclinical shedding risk than HSV1
 - d) Increased risk of acquiring HIV infection than
- Which of the following statements regarding foscarnet is incorrect?
 - a) Used to treat acyclovir resistant genital herpes infection
 - Available in topical and IV forms b)
 - c) Inhibits DNA polymerase
 - d) Can cause hyperphosphatemia
- Mark the wrong statement about Donovanosis.
 - a) This disease was first described in Calcutta
 - b) Incubation period varies from 1 to 360 days
 - c) Causative organism was first described in Madras
 - d) Associated with human leucocyte antigen-B57
- 10. Which of the following agents can predispose to urethritis?
 - a) Nifedipine
 - Thiazides b)
 - Pantoprazole
 - d) Multivitamin supplements
- 11. Which of the following is not recommended for recurrent/persistent trichomoniasis?
 - a) Boric acid
 - b) Nitazoxanide
 - c) Furazolidone
 - d) Paromomycin
- 12. Definition of complicated Vulvo-vaginal candidiasis (VVC) includes all of the following except?
 - a) Non-albicans candidiasis
 - b) Structural abnormality of female genital tract
 - c) Immunosuppressed state
 - d) Recurrent VVC
- 13. Which of the following definitions, as per the number of episodes/year is incorrect according to recent Centers for Disease Control and Prevention (CDC) 2021 guidelines and van Brakel et al.?
 - a) Recurrent VVC-≥6
 - b) Recurrent herpes labialis-≥6
 - Recurrent ENL-≥4 c)
 - d) All of the above are correct.
- 14. Which of the following statement is not correct about HSV infection?

- a) 90% of patients with genital HSV-2 infection develop recurrences within the first 12 months of infection
- b) Anti-HSV therapy decreases HIV seropositive patients
- c) Sequence of risk of acquiring HIV infection due to HSV-2 infection: MSM>men>women
- d) In recurrent episode of HSV infection, the average duration of viral shedding is 4 days
- 15. For how many days is acyclovir 800 mg BD given for episodic treatment of recurrent episode of herpes genitalis?
 - 5 a)
 - b) 7
 - c) 10
 - d) 2
- 16. What is the duration of treatment with boric acid advisable for non-candida albicans according to recent CDC guidelines?
 - a) 2 weeks
 - b) 4 weeks
 - 3 weeks c)
 - d) 1 week
- 17. How much maximum interval between weekly doses of benzathine penicillin is acceptable in a pregnant woman with late latent syphilis according to recent CDC guidelines, before restarting the full course of therapy?
 - a) 7 days
 - 9 days b)
 - 8 days c)
 - d) 10 days
- 18. Mention the volume of distilled water in the 3rd NACO STD color coded kit.
 - 10 mL a)
 - 5 mL b)
 - c) 2 mL
 - d) 20 mL
- 19. What is the treatment of choice for non-gonococcal urethritis based on recent CDC guidelines?
 - Azithromycin
 - Erythromycin b)
 - c) Ofloxacin
 - d) Doxycycline
- 20. According to recent CDC guidelines, the best approach to treat Mycoplasma genitalium in a macrolide resistant case is?
 - Doxycycline alone a)
 - Doxycycline followed by moxifloxacin b)
 - High-dose azithromycin alone c)
 - Moxifloxacin alone

ANSWERS

- b
- 2. a
- 3. c
- d 4.
- 5. d
- d 6.
- 7. a
- 8. d
- 9. a
- 10. a
- 11. c 12. b
- 13. a
- 14. c
- 15. a
- 16. c
- 17. b
- 18. a 19. d
- 20. b

Ethical approval

Institutional Review Board approval is not required.

Declaration of patient consent

Patient's consent not required as there are no patients in this study.

Financial support and sponsorship

Nil.

Conflicts of interest

There are no conflicts of interest.

Use of artificial intelligence (AI)-assisted technology for manuscript preparation

The author confirms that there was no use of artificial intelligence (AI)-assisted technology for assisting in the writing or editing of the manuscript and no images were manipulated using AI.

How to cite this article: Swarnkar B. STD Quiz. Indian J Postgrad Dermatol. doi: 10.25259/IJPGD_124_2023